
ITEM	EM QTY PART NUMBER		DESCRIPTION	
1	Х	D212-725-1-947	CAM ASSEMBLY	
2	1	D212-725-1-245	CAM BASE ASSEMBLY	_
3	1	D212-725-1-247	RETAINER	$\neg$
4	2	NAS1149D0332J	WASHER	
5	2	MS27039-1-15	SCREW	





D212-725-1-947 CAM ASSEMBLY



NOTES:
1) MATERIAL: N/A
2) FINISH: N/A
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: IDENTIFY PER QSI 044 6.4
7) WEIGHT: 0.21 lbs

Α	NEW IS	/ISSUE RF 11.02.24			11.02.24
REV.		DESCRIPTION BY DATE		DATE	
DESIGN RF		RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA		
DRAWN		RF			
CHECKED		8E	DRAWING NO. D4163		REV. A
MFG. APPR.		get.			SHEET 1 OF 3
APPRO	OVED	Also	TITLE		SCALE
DE API	PR.		CAM ASSEMBLY		NTS
DATE 11.02.24			COPYRIGHT © 2011 BY DART AEROSPACE LTD  THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS  NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT		







D

## **D212-725-1-247 RETAINER**

NOTES:

1) MATERIAL: 6061-T6 (OR 6061-T651/T6510/T6511/T62) ALUMINUM BAR PER AMS-QQ-A-225/8 (OR AMS 4117/4128/4115/4116) PER AMS-QQ-A-200/8 (OR AMS 4160) REF. DART SPEC. M6061T6B

2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1

3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED

4) UNITS: INCHES UNLESS OTHERWISE NOTED

5) REFAK SHAPP EDGES: 0.005 TO 0.010 MAY

5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: IDENTIFY PER QSI 044 6.3 AS SHOWN

7) WEIGHT: 0.05 lbs

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA		
DRAWN	RF			
CHECKED	<b>\$</b>	DRAWING NO.	REV. A	
MFG. APPR.	gel.	D4163	SHEET 3 OF 3	
APPROVED		TITLE	SCALE	
DE APPR.	-11	CAM ASSEMBLY	NTS	
DATE 11.0	2.24	COPYRIGHT © 2011 BY DART AEROSPACE LTD  THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT		

5

7

8

D

4